

Message

From: Parker, Christopher [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=433B34652EF14F4EA080FA06B7100E99-PARKER, CHRISTOPHER]
Sent: 12/18/2019 6:17:19 PM
To: Wylie, Mike [Wylie.Mike@epa.gov]
Subject: RE: pine hope

Routing...

Christopher Parker

Soil Scientist | Enforcement and Compliance Assurance Division
Surface Water and Ground Water Section
U.S. Environmental Protection Agency - Region IV
61 Forsyth Street SW | Atlanta, GA 30303-8960
Email: parker.christopher@epa.gov
Phone: 404.562.9838

From: Wylie, Mike <Wylie.Mike@epa.gov>
Sent: Wednesday, December 18, 2019 10:37 AM
To: Parker, Christopher <Parker.Christopher@epa.gov>
Subject: RE: pine hope

Looks great Chris. Sorry I forgot to complete this doc. Must be getting close to retirement.....

From: Parker, Christopher
Sent: Wednesday, December 18, 2019 10:27 AM
To: Wylie, Mike <Wylie.Mike@epa.gov>
Subject: RE: pine hope

Please review attached cover letter and let me know if you have any revisions/comments.

Christopher Parker

Soil Scientist | Enforcement and Compliance Assurance Division
Surface Water and Ground Water Section
U.S. Environmental Protection Agency - Region IV
61 Forsyth Street SW | Atlanta, GA 30303-8960
Email: parker.christopher@epa.gov
Phone: 404.562.9838

From: Wylie, Mike <Wylie.Mike@epa.gov>
Sent: Wednesday, December 18, 2019 9:07 AM
To: Parker, Christopher <Parker.Christopher@epa.gov>
Subject: pine hope

Pine Hope in case tracker,,, Just need to add when sent to Mr. Brown

Mike Wylie

Enforcement Compliance Assurance Division
Surface Water and Ground Water Section
USEPA
61 Forsyth St, SW
Atlanta, GA 30303

404-562-9409